



# ELEVATOR

ELEVATOR fits perfectly in any setting. With a diameter of 79 mm, ELEVATOR is ideal for integrating power and data connections in tiny spaces. Simply press down with your finger to raise and lower ELEVATOR.

Installation is incredibly simple. ELEVATOR is placed in a cut-out 79 mm in diameter and secured to the furniture using a lock ring.

## BENEFITS

- **Press down with your finger to raise**
- **Quick and easy to install**
- **Suitable for retrofitting**
- **Suitable for standard 79mm hole**



**Dimensions (H x diameter):** 230 x 114 mm  
**Mounting depth (without cable):** 135 mm  
**Thickness of tabletop:** 16–60 mm  
**Material:** Profile: aluminium  
 Socket material: plastic

**Socket colour:** black  
**Colour variants:**



Watch the ELEVATOR installation video on YouTube



**ELEVATOR**



**Stainless steel look** | Power input: 2.0 m cable with ferrules and mounting plug, included

928.002	2							90°		
928.017	1							90°	●	
928.003	1				2			90°/0°		
928.021		1 (13A)						90°	●	
928.007			2					90°		
928.020			1					90°	●	
928.024				2 (T23)				90°		
928.063						1		35°	●	

**Matt chrome** | Power input: 0.5m cable and GST18 plug, 3.0m data cables incl. plug/socket


928.004	1							90°		2x CAT6
928.005	1							90°		1x CAT6 1x USB 3.0A
928.006	1							90°		1x CAT6 1x HDMI
928.026		1 (5A)						90°	●	
928.039		1 (5A)						90°		1x CAT6 1x USB 3.0A
928.008			1					90°		2x CAT6
928.009			1					90°		1x CAT6 1x USB 3.0A
928.010			1					90°		1x CAT6 1x HDMI
928.035				1 (T13)				90°		2x CAT6



CONNECTION PANELS



**Simply press down with your finger**  
to raise and lower ELEVATOR.



Dimensions in mm



With ELEVATOR, Keystones are not interchangeable!

For suitable **device supply cables**, see from page 64.

## Accessories

#	
<b>Hole saw</b>   For installing ELEVATOR	
928.900	In wood/plastic   Cutting depth up to 44 mm   Diameter 79 mm
918.900	Mounting tool for hole saw with centre drill



928.900 Similar to picture



918.900

